

Clarence Stream George Murphy Zone Drill Hole Results

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
CL17-01	No significant Assays					180	-45	5022235	654218	210.0
CL17-02	41.00	43.10	2.10	1.63	0.9	350	-45	5022212	654238	180.0
	49.20	51.30	2.10	1.63	1.7					
	57.50	59.45	1.00	0.77	1.5					
	123.15	126.00	2.85	1.89	0.6					
	78.90	86.50	7.60	5.05	2.1					
	including 80.00	81.00	1.00	0.66	6.3					
CL17-03	No significant Assays					0	-45	50223012	654190	192.0
CL17-04	170.50	182.30	11.90	6.90	2.2	0	-45	5022395	654420	246.0
including	170.50	171.60	1.20	0.70	12.4					
	224.60	225.50	0.90	0.52	1.3					
	146.00	146.75	0.75	0.43	1.1					
	151.00	152.50	1.50	0.87	2.9					
	161.60	164.00	2.40	1.39	0.8					
CL17-05	238.50	250.80	12.30	7.78	0.6	0	-45	5022250	654438	255.0
including	238.50	239.60	1.10	0.70	1.6					
including	248.30	248.80	0.50	0.32	5.3					
CL17-06	No significant Assays					180	-45	5022265	654445	198.0
CL17-07	295.25	296.75	1.50		0.7	0	-45	5022406	654579	318.0
CL17-08	No significant Assays					180	-45	5022112	654939	201.0
CL17-09	212.85	213.50	0.65		0.4	180	-45	5021895	655186	315.0
	224.00	225.00	1.00		0.4					
	258.65	259.65	1.00		0.4					
CL17-10	266.50	268.00	1.50		1.5	180	-45	5021920	655188	296.0
CL17-11	No significant Assays					180	-45	5021880	655273	384.0
CL17-12	No significant Assays					0	-45	5022024	655068	231.0
CL18-13	216.50	217.00	0.50		0.6	0	-45	5022063	654726	309.0
	254.00	255.00	1.00		0.5					
	274.25	275.25	1.00		0.5					

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
								Northing	Easting	
CL18-14	51.00	52.00	1.00		0.5	0	-45	5022124	654716	252.0
CL18-15	31.00	79.75	48.75	16.28	0.7	180	-45	5022579	654432	408.0
including	33.40	34.20	0.80	0.27	4.2					
including	37.70	38.45	0.75	0.25	2.0					
including	50.00	51.00	1.00	0.33	5.6					
including	61.50	62.40	0.90	0.30	1.6					
including	63.50	65.00	1.50	0.50	2.5					
including	74.00	75.00	1.00	0.33	2.1					
including	78.45	79.75	1.30	0.43	3.2					
	263.00	266.20	3.20	1.07	0.5					
	376.80	383.00	6.20	2.07	0.5					
	407.00	408.00	1.00	0.33	2.2 VG					
CL18-16	47.15	49.35	2.20	0.81	1.0	180	-45	5022630	654480	318.0
	95.75	97.00	1.25	0.46	1.5					
	185.30	186.75	1.45	0.54	2.9					
	253.50	256.00	2.50	0.92	1.3					
including	254.50	255.20	0.70	0.26	3.6					
CL18-17	63.3	63.8	0.50	0.34	7.5	350	-60	5022199	654240	314.0
	72	73	1.00	0.68	2.5					
	125.2	135.5	10.30	5.49	1.3					
including	125.2	125.7	0.50	0.27	5.1					
including	134.5	135.5	1.00	0.53	9.3 VG					
	213.25	215.35	2.10	1.12	1.1					
	253.8	261	7.20		0.9					
	260	261	1.00		2.7					
CL18-18	54.50	60.00	5.50	4.50	0.8					
including	54.50	55.00	0.50	0.41	2.2					
	59.00	60.00	1.00	0.82	2.8					

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
CL18-19 including including including including	61.00	65.55	4.55	3.56	2.6	310	-45	5022230	654285	254.5
	63.70	64.75	1.05	0.82	8.5 VG					
	150.00	151.00	1.00	0.67	1.0					
	154.65	158.10	3.45	2.32	1.1					
	154.65	156.00	1.35	0.91	2.4					
	166.50	175.00	8.50	5.71	0.9					
	167.00	167.75	0.75	0.50	3.8					
	173.25	174.00	0.75	0.50	2.2					
CL18-20	214.25	215.25	1.00		1.3	0	-45	5022205	654314	384.0
CL18-21 including	70.00	71.60	1.60	1.06	8.1	350	-61	5022228	654284	249.0
	70.00	71.00	1.00	0.66	12.5 VG					
	92.90	145.65	52.75		Assays Pending					
CL18-22	156.00	157.00	1.00		1.2	180	-45	5022582	654391	189.0
CL18-23 including including including including including	29.6	30.4	0.80	0.40	3.4	180	-45	5022538	654388	221.5
	41	53.6	12.60	5.70	0.8					
	41	46	5.00	2.30	0.5					
	50	53.6	3.60	1.60	2.0					
	50	51	1.00	0.50	5.8					
	82.6	93	10.40	4.70	1.4					
	83.5	84.5	1.00	0.50	3.6					
	84.5	85.6	1.10	0.50	4.1					
	91.7	92.2	0.50	0.20	5.0					
	139.9	142	2.20	1.00	3.2					
	175	175.7	0.70	0.30	21					
CL18-24 including	119.6	139.5	19.90	10.70	0.6	150	-45	5022519	654317	165
	138	139.5	1.50	0.80	1.6					
CL18-25	8.7	28.9	20.30	10.90	0.9	150	-45	5022454	654322	216
	8.7	10	1.40	0.70	2.1					
	22	23	1.00	0.50	5.8					
	24	24.7	0.60	0.40	0.3 V.G.					
	27.9	28.9	1.10	0.60	3.0					
	90.5	93.9	3.30	1.80	0.8					

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
CL18-26 including	36	36.9	0.90	0.50	3.1	150	-45	5022461	654281	235.5
	48.3	51.3	3.00	1.60	1.0					
	48.3	49.3	1.00	0.50	2.1	150	-45	5022461	654281	235.5
	88.45	91.00	2.55	1.33	0.6					
	102.80	107.00	4.20	2.20	241.5					
	102.80	104.05	1.25	0.65	807.0 VG					
CL18-27	141.00	158.00	17.00	8.90	3.4	150	-45	5022449	654240	300
including	141.00	142.00	1.00	0.50	24.3 V.G.					
including	156.80	157.30	0.50	0.30	40.0 V.G.					
	186.00	191.20	5.20	2.70	1.5					
including	186.00	187.00	1.00	0.50	3.6					
CL18-28	25.00	26.00	1.00	0.90	12	330	-45	5022286	654289	230
	83.30	88.40	5.10	4.10	2.9					
including	87.00	88.40	1.30	1.10	7.1					
CL18-29	83.00	105.00	22.00	16.20	1.9	270	-45	5022190	654232	325.5
including	100.20	101.40	1.30	0.90	16.9					
including	101.40	102.70	1.30	0.90	4.0					
	221.40	325.70	104.30		pending					

VG = visible gold. No upper cutoff grade was applied; 0.42 g/t Au was used for the bottom cut-off; True widths are unknown where not specified.