

Hole #	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type***	Azimuth	Dip	UTM Northing	UTM Easting	Total Depth (m)
GWM-17E-01	106.8	108.3	1.6	1.0	<b>73.3</b>		72.5	29.4	0.7			DSS	340°	-63°	5494990	655869	150
	112.9	114.0	1.1	0.1					1.1			DSS					
GWM-17E-02	263.3	264.3	1.0	0.6				0.9				DSS	340°	-65°	5494924	655858	348
	274.4	275.4	1.0	0.6				0.8				DSS					
	329.6	334.5	4.9			0.6						DSS					
	339.9	341.2	1.3			0.9						DSS					
GWM-17E-03	372.9	373.6	0.8				0.5					DSS	314°	-67	5494924	655858	454
	374.5	375.5	1.0				1.4					DSS					
	384.1	385.0	0.9					0.4				DSS					
	386.1	387.0	1.0					0.7				DSS					
	389.7	391.2	1.5					0.7				DSS					
	395.7	396.7	1.0				0.6					DSS					
GWM-17E-04	303.4	305.0	1.7	1.2		0.6	62.0	0.5	<b>5.1</b>			MSS	3°	-55°	5494801	655626	368
including	303.7	304.3	0.6	0.0		1.3	159.0		<b>12.9</b>			MSS					
GWM-17E-05	355.0	356.9	1.9	1.2		1.4	89.9	0.3	<b>7.4</b>	0.7		MSS	354°	-67°	5494801	655626	456
GWM-17E-06	341.8	344.4	2.7	1.7	<b>14.5</b>	<b>26.6</b>	2.8	111.3	4.0	4.7	0.2	MSS	343	-64°	5494801	655626	432
including	343.3	343.8	0.5	0.3	<b>29.2</b>		7.8	162.6	1.0	11.2		MSS					
GWM-17E-07	611.2	611.9	0.8	0.5				*0.9				DSS	343°	-69°	5494701	655646	705
	615.5	618.0	2.5	1.7				0.5				DSS					
GWM-17E-08	804.6	822.3	<b>17.7</b>		10.8	1.1	95.2	<b>4.2</b>	0.6	0.3		MSS	204°	-49	5495170	654348	945
including	804.6	806.7	2.0		15.2	1.0	147.6	<b>8.3</b>	0.2	0.6		MSS					
including	811.3	815.8	4.5		22.3	1.7	<b>190.9</b>	<b>9.7</b>	1.3	0.5		MSS					
GWM-17E-09	121.1	123.8	2.7	1.8	<b>9.6</b>	0.4	121.0	2.7	0.9	0.2		MSS	26°	-55°	5494885	655354	192
including	121.6	122.1	0.5	0.3	<b>18.2</b>	0.9	166.7	7.8	1.4			MSS					
GWM-17E-10	69.5	70.4	0.9	0.7				<b>1.2</b>				SMS	77	-50	5494900	655300	150
	77.1	77.9	0.8	0.6			14.1	0.6	1.0			SMS					
GWM-17E-11	No significant values												308°	-56°	5494885	655354	222
GWM-17E-12	215.2	218.1	2.7	1.7	2.5	4.7	0.4	68.2	2.1			SMS	13°	-58	5494833	655365	270
	232.0	233.1	1.1	0.7					0.8			DSS					
	238.2	238.8	0.6	0.4			17.9	2.5	0.5			DSS					
	247.7	248.7	1.0	0.6			27.1	0.6	0.6			DSS					

Hole #	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type***	Azimuth	Dip	UTM Northing	Easting	Total Depth (m)
<b>GWM-17E-13</b>	124.3	126.6	2.4	1.0		<b>9.2</b>	0.8	54.7	4.9	0.3	0.5	MSS	357°	-73°	5494834	655151	160
including	125.8	126.6	0.9	0.4	<b>10.0</b>	<b>18.4</b>	1.9	92.4	10.9	0.5	1.6	MSS	13°	-58	5494833	655365	270
<b>GWM-17E-14</b>	259.3	262.0	2.7	1.4	<b>8.9</b>	<b>16.4</b>	1.5	121.0	6.0	1.3	0.8	MSS	351°	-69°	5494746	655180	321
including	259.3	260.7	1.4	0.7	<b>11.8</b>	<b>21.7</b>	2.5	137.4	10.4	0.7	1.4	MSS					
<b>GWM-17E-15</b>	200.8	204.4	3.6	2.5	5.5	10.2	2.0	45.9	3.6	0.4	0.5	SMS	11°	-52	5494746	655180	252
including	203.4	204.4	1.1	0.7	15.9	29.2	<b>6.5</b>	123.6	<b>9.6</b>	1.0	1.5	SMS					
<b>GWM-17E-16</b>	279.0	280.6	1.6	0.8	31.9		<b>22.4</b>	<b>199.3</b>	<b>10.4</b>		2.0	MSS	17°	-69	5494746	655180	420
	275.0	276.0	1.0	0.5	5.2	9.6	2.1	85.9	2.9		0.6	DSS					
	298.1	300.1	2.0	1.0					1.2			DSS					
	301.6	302.4	0.8	0.4				17.0	2.6	0.4		DSS					
	304.2	305.3	1.1	0.6				0.3		1.6		DSS					
	315.3	316.2	0.9	0.4				0.3	36.0	1.4	2.2	SMS					
	316.6	317.2	0.6	0.3				0.2	12.6		0.7	SMS					
	355.0	355.5	0.6	0.3					0.9			DSS					
<b>GWM-17E-19</b>	Stopped due to deviation. Will be continued later.												341°	-69	5494557	655421	219
<b>GWM-17E-19A</b>	No significant values												335°	-72	5494557	655421	852
<b>GWM-17E-19AW1</b>	707.2	709.0	1.9	1.4	6.6	12.2	1.8	70.9	6.1	0.3		MSS	337°	-62	5494557	655421	505
including	707.2	707.7	0.5	0.4	13.0	23.9	<b>5.0</b>	88.1	<b>10.5</b>	0.4	0.7	MSS					
	711.0	713.0	2.0	1.6				15.0		0.6		SMS					
	719.5	720.5	1.0	0.8					0.5			DSS					
	824.4	724.9	0.5	0.4					0.5			DSS					
<b>GWM-17E-24</b>	71.7	73.7	2.1	1.2		21.3	2.3	65.7	<b>12.6</b>	0.8	0.3	MSS	149°	-59	5494966	654430	306
	411.4	412.9	1.5	0.8	17.9	32.9	<b>5.2</b>	<b>198.7</b>	<b>15.7</b>	0.4	1.3	MSS					
<b>GWM-17E-25</b>	57.0	64.4	<b>7.4</b>	5.0					1.4			DSS	169°	-51	5494966	654430	467
including	63.4	64.4	1.0	0.7	6.8		2.6		2.8	1.6		MSS					
	79.6	80.1	0.5	0.3			1.0		1.0			MSS					
<b>GWM-17E-26</b>	73.0	74.5	1.5	0.9			1.4	44.4		1.0			169°	-61	5494966	654430	600
including	74	74.5	0.5	0.3			3.2	27.7									
	91.8	94.8	3.0	2.0		9.9	0.8	38.3	2.5	1.6							

Hole #	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type***	Azimuth	Dip	UTM Northing	Easting	Total Depth (m)	
GWM-17E-27	82.6	84.4	1.8	1.1	12.3		4.7	67.5	4.9	2.1	1.0	MSS	146°	-63	5494966	654430	522	
	59.0	60.0	1.0	0.7						2.0		DSS						
	79.8	80.8	1.0	0.7				24.6		1.3		DSS						
	103.0	105.0	2.0	1.3			0.3	15.7		0.6		DSS						
	285.6	286.4	0.9	0.6			1.2	36.8				MSS						
	295.6	298.3	2.6	1.7	6.3		5.7	43.2				MSS						
	499.8	503.1	3.3	2.1		39.1	2.2	181.0	28.5	0.3	0.9	MSS						
	including	502.0	503.1	1.1	0.7		50.5	4.8	145.5	36.6	0.2	0.7	MSS					
	521.3	523.9	2.6	1.7			26.2	0.3	190.7	18.6	0.5	0.5	MSS					
	including	521.3	523.0	1.8	1.1		34.0	0.4	222.8	25.0	0.6	0.6	MSS					
GWM-18E-31	496.7	503.1	6.4	4.4	9.0		6.9	78.5	1.7			SMS	334.9°	-71.1	5494596	654847.7	522	
	including	496.7	498.3	1.6	1.1	26.6	21.9	113.1	5.6			MSS						
	which includes	496.7	497.6	0.9	0.6	39.8		33.1	152.5	8.3		MSS						
	including	501.0	503.1	2.1	1.4	7.0		4.3	154.8	0.9		MSS						
	which includes	501.6	502.3	0.8	0.5	8.3		8.3				MSS						
GWM-18E-30A	453.7	456.9	3.2	2.3	4.1	7.6	2.5	23.5	2.4			MSS	321.6°	-65	5494596	654847.7	480	
GWM-18E-28C	101.0	103.3	2.3	1.2	20.1	36.9	10.6	60.4	10.1	1.3	2	MSS	135.6°	-70	5494965	654429	742	
	including	102.7	103.3	0.6	0.3	32.0		23.9	79.4	9.4	0.3	2.9	MSS					
	134.0	135.2	1.2	0.6	9.4		3.6	41.5	0.5	3		SMS						
GWM-18E-17	299.8	301.0	1.2	0.7	4.5	8.3	1.5	30	2.9	0.6		SMS	336.9°	-72	5494746	655180.1	378	
	302.0	303.0	1.0	0.6				56.1	0.4	2.2		SMS						
	307.9	309.4	1.6	0.9			0.2	76.1	0.4	3.7		MSS						
	including	307.9	308.4	0.5	0.3		0.4	175.8	0.8	9.4		SMS						
GWM-17E-08W5	646.5	647.5	1.0			8.1			8.1			SMS	207.7°	-64	5495170	654348	354	
	650.0	651.0	1.0			1.1			1.1			SMS						

Hole #	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type***	Azimuth	Dip	UTM Northing	Eastng	Total Depth (m)
<b>GWM18-NK-01</b>	149.4	150.1	0.7						0.5			DSS	9.3°	-70	5493148	662993	501
	347.6	348.1	0.5						0.8			DSS					
	348.1	348.9	0.8						0.5			DSS					
	364.9	366.0	1.1						0.8			DSS					
	370.6	371.2	0.6		4.3		22.3	1.6	0.7			DSS					
	390.4	392.2	1.8				12.9		0.5			DSS					
	403.9	404.4	0.5						0.5			DSS					
	405.6	406.3	0.8			0.3	33.7	0.2	0.7			DSS					
	423.0	445.0	22.0				12.8		0.5			DSS					
including	423.9	424.6	0.7				<b>122.1</b>		<b>4.2</b>			DSS					
including	432.8	433.4	0.6				<b>53.5</b>		<b>2.4</b>			DSS					
including	437.4	437.7	0.5				39.5		<b>1.8</b>			DSS					
including	439.3	440.0	0.7	2.7		0.9	20.7		0.9			DSS					
	472.0	472.7	0.7			0.9		0.6		0.3		DSS					

**Notes:**

\*Changed due to screen assay result

\*\*Au (Eq g/t) and Zn (Eq %) represent the in-situ metal content expressed as Au and Zn equivalents.

Equivalents are not provided when the underlying Au and/or Zn metal content is below 15% of the intersect value.

Preliminary analysis indicates that no metal is dominant; however, Au and Zn are the largest contributors to the Estrades resource.

Equivalencies are calculated using the following metal prices (US\$) and exchange rate (US\$/C\$) provided by RPA:

Au \$1,450/oz, Ag \$21.00/oz, Zn \$1.15/lb, Cu \$3.50/lb, Pb \$1.00/lb, US\$0.80/C\$1.00.

\*\*\*MSS = massive sulphide, SMS = semi-massive sulphide DSS = disseminated and stringer sulphides.

Holes were not drilled in sequential numerical order. If true width (TW) is not specified, the orientation of the zone is unknown at this time.