

Table 1. Assay Results

Hole ID	From (m)	To (m)	Intercept (m)	Intercept (m) TW	Au g/t	Au (cut) g/t
Clarence Stream South Deposit Drill Hole Results						
CS-376	77.2	78.0	0.8	0.8	0.7	
	82.5	85.1	2.6	2.6	2.8	
including	83.7	84.5	0.5	0.5	7.5	
	89.0	90.0	1.0	1.0	0.7	
	100.0	100.5	0.5	0.5	1.0	
	103.5	104.8	1.3	1.3	1.1	
	121.0	122.5	1.5	1.5	0.6	
	125.0	125.5	0.5	0.5	1.6	
	192.5	193.0	0.5	0.5	0.5	
CS-375	15.5	17.0	1.5	1.5	0.8	
	82.0	82.5	0.5	0.5	0.8	
	103.5	105.0	1.5	1.5	0.4	
	113.5	114.2	0.7	0.7	2.1	
	118.0	119.5	1.5	1.5	0.9	
	173.8	179.5	5.7	5.7	8.4	
including	173.8	174.5	0.7	0.7	29.3	
including	174.5	175.0	0.5	0.5	14.0	
including	175.5	176.0	0.5	0.5	18.0	
	189.5	190.0	0.5	0.5	1.5	
	201.5	202.0	0.5	0.5	0.7	
	205.5	206.0	0.5	0.5	0.9	
CS-374	87.0	88.0	1.0	1.0	0.5	
	100.5	102.0	1.5	1.4	0.5	
	129.5	130.5	1.0	1.0	0.6	
	137.0	158.5	21.5	20.8	0.9	
including	138.0	139.0	1.0	1.0	5.3	
including	148.0	149.0	1.0	1.0	5.8	
including	153.0	154.0	1.0	1.0	3.2	
	178.5	181.5	3.0	2.9	19.0	11.3
including	179.5	180.0	0.5	0.5	106.0	60.0
CS-373	15.5	16.0	0.5	0.5	1.3	
	75.0	79.5	4.5	4.3	1.1	

Hole ID	From (m)	To (m)	Intercept (m)	Intercept (m) TW	Au g/t	Au (cut) g/t
including	78.0	78.5	0.5	0.5	4.2	
	84.5	85.0	0.5	0.5	0.4	
CS-372	51.5	52.5	1.0	1.0	1.7	
	74.0	74.5	0.5	0.5	0.6	
	111.0	116.0	5.0	4.8	2.1	
including	114.0	115.0	1.0	1.0	6.3	
CS-371	26.5	27.0	0.5	0.5	2.6	
	76.5	77.0	0.5	0.5	0.6	
	79.5	80.5	1.0	1.0	0.6	
	133.5	135.5	2.0	2.0	5.8	
	152.0	152.6	0.6	0.6	7.8	
CS-370	37.5	38.5	1.0	0.9	0.5	
	78.5	79.0	0.5	0.5	3.0	
	102.2	105.0	2.8	2.7	0.5	
CS-369	42.0	46.85	4.85	4.3	0.8	
including	44.0	44.65	0.65	0.6	1.7	
	104.0	104.5	0.5	0.4	1.2	
	114.0	116.5	2.5	2.2	0.9	
	132.0	133.5	1.5	1.3	2.3	
CS-368	16.6	17.2	0.6	0.6	0.5	
	31.3	36.0	4.7	4.6	3.6	
including	33.0	33.5	0.5	0.5	9.1	
including	34.0	35.0	1.0	1.0	8.5	
	83.6	84.5	0.9	0.9	0.9	
	97.5	98.0	0.5	0.5	0.7	
	100.4	114.0	13.6	13.2	1.7	
including	100.4	101.5	1.1	1.1	7.4	
including	107.6	108.3	0.7	0.7	4.9	
including	112.7	113.3	0.6	0.6	4.8	
	116.5	118.0	1.5	1.5	0.7	
	134.5	135.0	0.5	0.5	0.5	
HISTORICAL HOLES						
CS-183	106.5	136.0	29.5	29.1	3.3	2.8
	116.5	117.0	0.5	0.5	30.3	
	130.5	131.0	0.5	0.5	90.2	60.0
	131.0	131.5	0.5	0.5	6.05	
	131.5	132.0	0.5	0.5	13.4	
	153.5	156.5	3.0	3.0	1.05	

Hole ID	From (m)	To (m)	Intercept (m)	Intercept (m) TW	Au g/t	Au (cut) g/t
	156.0	156.5	0.5	0.5	4.11	
CS-187	45.0	46.0	1.0	1.0	1.8	
	99.0	99.5	0.5	0.5	0.6	
	134.5	147.5	13.0	12.8	4.3	
	137.0	137.5	0.5	0.5	12.1	
	137.5	138.0	0.5	0.5	14.0	
	146.5	147.0	0.5	0.5	60.0	
	147.0	147.5	0.5	0.5	13.65	
	165.5	167.0	1.0	1.0	1.3	
EXPLORATION DRILLING						
PK-02	47.5	48.0	0.5		0.4	
	50.0	50.5	0.5		0.4	
PK-03	110.35	111.0	0.65		0.5	

** previously reported; used 0.38 g/t Au for the bottom cut-off as per pit constrained for all new results; 0.42 g/t Au was used for previously-released pit constrained results. (TW=True Widths, which are calculated – sectional measuring may give slightly different numbers); True widths are unknown if not noted; VG=Visible Gold; Drill holes PK-01, and PK-04 did not return significant assays

Table 2: Drill Hole Coordinates

Hole ID	Azimuth	Dip	Northing	Easting	Total Depth (m)
SOUTH ZONE					
CS-376	144	-45	5023630	658060	207
CS-375	141	-45	5023750	658040	210
CS-374	150	-50	5023700	658020	183
CS-373	145	-55	5023586	658031	201
CS-372	150	-52	5023613	657984	219
CS-371	140	-49	5023591	657952	201
CS-370	155	-51	5023544	657970	180
CS-369	155	-64	5023544	657970	201
CS-368	136	-53	5023548	657975	150
EXPLORATION DRILLING					
PK-01	150	-45	5026729	661569	268
PK-02	180	-45	5026730	661567.2	89
PK-03	150	-45	5026791	661549	325
PK-04	110	-45	5027044	661294.7	437.6

For results of all holes that Galway has drilled at Clarence Stream, go to Galway's website at www.galwaymetalsinc.com.